

## NDUFV2

**Reactivity:** Human Mouse Rat

**Tested applications:** WB IHC

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:** 27kDa

**Observed MW:** Refer to figures

**Immunogen:**

Recombinant protein of human NDUFV2

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

CI-24k;

**Catalog #:** A7442

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 4729

**Isotype:** IgG

**Swiss Prot:** P19404

**Purity:** Affinity purification

For research use only.

**Background:**

The NADH-ubiquinone oxidoreductase complex (complex I) of the mitochondrial respiratory chain catalyzes the transfer of electrons from NADH to ubiquinone, and consists of at least 43 subunits. The complex is located in the inner mitochondrial membrane. This gene encodes the 24 kDa subunit of complex I, and is involved in electron transfer. Mutations in this gene are implicated in Parkinson's disease, bipolar disorder, schizophrenia, and have been found in one case of early onset hypertrophic cardiomyopathy and encephalopathy. A non-transcribed pseudogene of this locus is found on chromosome 19.

**To place an order, please [Click HERE](#).**