

RAP Rat

Description: Recombinant Rat Receptor Associated Protein produced in E.Coli is a single, non-glycosylated polypeptide chain having a molecular mass of 38,862 Dalton. The Recombinant RAP Rat contains 6xHis tag and 1xC-myc, RAP Rat is purified by proprietary chromatographic techniques.

Catalog #: PRPS-359

For research use only.

Synonyms: Receptor Associated Protein, RAP.

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered White lyophilized (freeze-dried) powder.

Purity: Greater than 95.0% as determined by SDS-PAGE.

Formulation:

The protein (1mg/ml) was lyophilized after from a sterile solution containing TBS pH-7.5, 0.1% BSA and 0.09% NaN₃.

Stability:

Lyophilized RAP Rat although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution RAP Rat should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Solubility:

It is recommended to reconstitute the lyophilized RAP Rat in sterile 18M-cm H₂O not less than 100µg/ml, which can then be further diluted to other aqueous solutions.

Introduction:

Receptor-associated Protein (aka RAP) averts the GCM-mediated enhancement of axon growth-ApoE-containing lipoproteins which are known to bind to receptors of the LDLr superfamily. In the presence of RAP, GCM doesn't increase the axon extension rate in relation to base medium. Furthermore, the addition of RAP to the base medium doesn't change the rate of axon extension. This implies that the growth stimulatory effect of apoE-containing lipoproteins secreted by glial cells is mediated by the LDLr family receptors. RAP annuls the growth stimulatory effect of GCM.

To place an order, please [Click HERE](#).